



REVISIONS				
LOC	LTR	DESCRIPTION	DATE	APPROVED

PINOUTS	
PIN	
1	RIGHT
2	TOP
3	BOTTOM
4	LEFT

- ⑤ CONNECTORS: BERG CLINCHER (65801-004) OR EQUIV.  
+/- .10 (ADD 0.3 TO LENGTH)
  - ④ ACTIVE AREA: 4.47 [113.40] X 7.68 [195.07]
  - ③ TRANSPARENT AREA: 4.66 [118.40] X 7.87 [200.00]
  - ② ACTUATION FORCE: 10-30GRAMS
  - ① ITO RESISTIVITY: 200/300 OHMS/SQ
- NOTES: (UNLESS OTHERWISE SPECIFIED)

THIS DRAWING AND THE DESIGN SHOWN THEREIN IS THE PROPERTY OF **CyberTouch**. ITS DISCLOSURE AND DISTRIBUTION IS FOR A LIMITED PURPOSE ONLY. ANY USE BEYOND SUCH LIMITATION IS NOT AUTHORIZED. NO REPRODUCTION THEREOF IS LICENSED, BEYOND THE LIMITED PURPOSE FOR WHICH THE DRAWING IS SUPPLIED. THIS DRAWING AND ALL COPIES THEREOF SHALL REMAIN THE PROPERTY OF **CyberTouch** AND MUST BE RETURNED TO **CyberTouch** ON REQUEST.

**TOUCH SCREEN CROSS SECTION**

1. SUPPORT: 0.060 (NOMINAL) ACRYLIC
2. PERIPHERAL ADHESIVE: 0.004 [0.102] ACRYLIC
3. STATIC ELEMENT: 0.007 [0.178] POLYESTER
4. PERIPHERAL ADHESIVE: 0.004 [0.102] ACRYLIC
5. DYNAMIC ELEMENT: 0.007 [0.178] POLYESTER WITH HARDCOAT AND ANTIGLARE

APPROVALS			TOLERANCES UNLESS OTHERWISE SPECIFIED		
DATE	REV.	INITS.	.X	.XX	.XXX
			±.15	±.010	±.005
			DIMENSIONS: INCHES [ MM ]		
ENGR.	APPROVALS	DATE			
MAN.	DESIGN				
	A. GOHARI	101705			
D.A.	CAD				
	N. FRANCISCO	101705			
CUSTOMER APPROVAL					



TITLE	
4-WIRE ANALOG W.S. 8.4" DIAG. TOUCH SCREEN	
SCALE	PART NO.
1:0.50	9949N-B0-K0-0A
SHEET 1 OF 1	